

SHOWER DOOR HINGES 700 SERIES


SHOWER DOOR HINGES
700 SERIES



720
Wall Mount Hinge
Full Back Plate



720 HP
With H Back Plate
720 SP
With Short Back Plate



730
180° Glass to
Glass Hinge



732
135° Glass to
Glass Hinge

700 SERIES OF HINGES:

700 Series of Hinges are designed with beveled edges and radius corners for a sleek appearance. They can be used to support 8-12mm (5/16"-1/2") thick safety glass in swinging door installations.
*NOTES: SAME SHAPE HINGES MADE OF STAINLESS STEEL ARE AVAILABLE.

SPECIFICATIONS:

■ **Hinge Size:**
90x55mm (3-9/16" x 2-3/16")

■ **Construction:**
Solid Brass

■ **Hinge Swings:**
90° in and 90° out.

■ **Closing Type:**
Self-Centering when within 25° of closed position

■ **Cut-out Required**

■ **Standard Scope of Supply Includes:**
Gaskets, Self Drilling Screws & Plastic Anchor Bolts for Wall Mount Hinges and Glass Cut Out Drawing.

■ **Standard Finishes:**
CP (Bright Chrome), BN (Brushed Nickel), SCP (Satin Chrome), AB (Antique Brass), PB (Polished Brass), ORB (Oil Rubbed Bronze), GM (Gun Metal), Ti (Titanium plated), PVD.

■ Maximum Capacities

Quantity of Hinges	Door Weight	Door Width
Using 2 Hinges	40kg(90lbs)	760mm(30")
Using 3 Hinges	55kg(120lbs)	820mm(32")

*NOTE: Do not exceed maximum door weight or width when choosing proper quantity of hinges

■ Reversible 5° pivot pin is available on request.




732WG
135° Wall
Mount Hinge



734
90° Glass to
Glass Hinge

SHOWER DOOR HINGES 700-20 SERIES



720-20

Wall Mount Hinge,
Full Back Plate

720-20 HP


With H Back Plate

720-20 SP

With Short Back Plate


722-20

Wall Mount Hinge
Offset Back Plate
available



730-20

180° Glass to
Glass Hinge



732-20

135° Glass to
Glass Hinge



734-20

90° Glass to
Glass Hinge

700-20 SERIES OF HINGES

700-20 Series of Hinges are designed with beveled edges and radius corners. The Special Feature is that the hinges are adjustable to any angle up to 90 degree without having to take door down. They can be used to support 8-12mm (5/16"-1/2") thick safety glass in swinging door installations.

SPECIFICATIONS:

■ Hinge Size:

90x55mm (3-9/16" x 2-3/16")

■ Construction:

Solid Brass

■ Hinge Swings:

90° in and 90° out (at factory set position).

■ Closing Type:

Self-Centering when within 25° of closed position.

■ Cut-out Required

■ Standard Scope of Supply Includes:

Gaskets, Self Drilling Screws & Plastic Anchor Bolts for Wall Mount Hinges and Glass Cut Out Drawing.

■ Standard Finishes:

CP (Bright Chrome), BN (Brushed Nickel), SCP (Satin Chrome), BSCP (Brushed Satin Chrome), AB (Antique Brass), PB (Polished Brass), ORB (Oil Rubbed Bronze), GM (Gun Metal), Ti (Titanium plated), PVD.

■ Maximum Capacities

Quantity of Hinges	Door Weight	Door Width
Using 2 Hinges	36kg(80lbs)	711mm(28")
Using 3 Hinges	54kg(120lbs)	813mm(32")

*NOTE: Do not exceed maximum door weight or width when choosing proper quantity of hinges




SHOWER DOOR HINGES 700-1 SERIES




720-1
 Wall Mount Hinge,
 Full Back Plate
720-1 HP
 With H Back Plate
720-1 SP
 With Short Back Plate



722-1
 Wall Mount Hinge,
 Offset Back Plate



730-1
 180° Glass to
 Glass Hinge



732-1
 135° Glass to
 Glass Hinge

700-1 SERIES OF HINGES

700-1 Series of Hinges are designed with straight edges and straight corners. They can be used to support 8-12mm (5/16"-1/2") thick safety glass in swinging door installations.
 *NOTES: SAME SHAPE HINGES MADE OF STAINLESS STEEL ARE AVAILABLE.



SPECIFICATIONS:

- **Hinge Size:**
 90x55mm (3-9/16"x2-3/16")
- **Construction:**
 Solid Brass
- **Hinge Swings:**
 90° in and 90° out.
- **Closing Type:**
 Self-Centering when within 25° of closed position
- **Cut-out Required**
- **Standard Scope of Supply Includes:**
 Gaskets, Self Drilling Screws & Plastic Anchor Bolts for Wall Mount Hinges and Glass Cut Out Drawing.
- **Standard Finishes:**
 CP (Bright Chrome), BN (Brushed Nickel), SCP (Satin Chrome), BSCP (Brushed Satin Chrome), AB (Antique Brass), PB (Polished Brass), ORB (Oil Rubbed Bronze), GM (Gun Metal), Ti (Titanium plated), PVD.
- **Maximum Capacities**

Quantity of Hinges	Door Weight	Door Width
Using 2 Hinges	40kg(90lbs)	760mm(30")
Using 3 Hinges	55kg(120lbs)	820mm(32")

*NOTE: Do not exceed maximum door weight or width when choosing proper quantity of hinges

- Reversible 5° pivot pin is available on request.




732-1WG
 135° Wall Mount Hinge



734-1
 90° Glass to
 Glass Hinge

SHOWER DOOR HINGES 700-21 SERIES

SHOWER DOOR HINGES
700-21 SERIES




720-21
Wall Mount Hinge,
Full Back Plate


720-21 HP
With H Back Plate

720-21 SP
With Short Back Plate

722-21
Wall Mount Hinge,
Offset Back Plate
available



730-21
180° Glass to
Glass Hinge



732-21
135° Glass to
Glass Hinge



734-21
90° Glass to
Glass Hinge

700-21 SERIES OF HINGES:

700-21 Series of Hinges are designed with straight edges and straight corners.

The Special Feature is that the hinges are adjustable to any angle up to 90 degree without having to take door down. They can be used to support 8-12mm (5/16"-1/2") thick safety glass in swinging door installations.



SPECIFICATIONS:

■ Hinge Size:

90x55mm (3-9/16" x 2-3/16")

■ Construction:

Solid Brass

■ Hinge Swings:

90° in and 90° out (at factory set position)

■ Closing Type:

Self-Centering when within 25° of closed position

■ Cut-out Required

■ Standard Scope of Supply Includes:

Gaskets, Self Drilling Screws & Plastic Anchor Bolts for Wall Mount Hinges and Glass Cut Out Drawing.

■ Standard Finishes:

CP (Bright Chrome), BN (Brushed Nickel), SCP (Satin Chrome), BSCP (Brushed Satin Chrome), AB (Antique Brass), PB (Polished Brass), ORB (Oil Rubbed Bronze), GM (Gun Metal), Ti (Titanium plated), PVD.

■ Maximum Capacities

Quantity of Hinges	Door Weight	Door Width
Using 2 Hinges	36kg(80lbs)	711mm(28")
Using 3 Hinges	54kg(120lbs)	813mm(32")

*NOTE: Do not exceed maximum door weight or width when choosing proper quantity of hinges

SHOWER DOOR HINGES 700S SERIES

700S SERIES OF HINGES:

700S Series of Hinges are Junior Size Hinges designed with beveled edges and radius corners. They can be used to support 6-8mm (1/4"-5/16") thick safety glass in swinging door installations.



SPECIFICATIONS:

■ **Hinge Size:**
 75x46mm (2-15/16" x 1-13/16")

■ **Construction:**
 Solid Brass

■ **Hinge Swings:**
 90° in and 90° out.

■ **Closing Type:**
 Self-Centering when within 25° of closed position

■ **Cut-out Required**

■ **Standard Scope of Supply Includes:**

Gaskets, Self Drilling Screws & Plastic Anchor Bolts for Wall Mount Hinges and Glass Cut Out Drawing.

■ **Standard Finishes:**

CP (Bright Chrome), BN (Brushed Nickel), SCP (Satin Chrome), BSCP (Brushed Satin Chrome), AB (Antique Brass), PB (Polished Brass), ORB (Oil Rubbed Bronze), GM (Gun Metal), Ti (Titanium plated), PVD.

■ **Maximum Capacities**


Quantity of Hinges	Door Weight	Door Width
Using 2 Hinges	27kg(60lbs)	710mm(28")
Using 3 Hinges	40kg(90lbs)	810mm(32")

*NOTE: Do not exceed maximum door weight or width when choosing proper quantity of hinges



720S
 Wall Mount Hinge,
 Full Back Plate

722S
 Wall Mount Hinge,
 Offset Back Plate
 available



730S
 180° Glass to
 Glass Hinge



732S
 135° Glass to
 Glass Hinge



734S
 90° Glass to
 Glass Hinge

SHOWER DOOR HINGES 700S-1 SERIES

700S-1 SERIES OF HINGES:

700S-1 Series of Hinges are Junior Size Hinges designed with straight edges and straight corners. They can be used to support 6-8mm (1/4"-5/16") thick safety glass in swinging door installations.



SPECIFICATIONS:

■ **Hinge Size:**
75x46mm (2-15/16"x1-13/16")

■ **Construction:**
Solid Brass

■ **Hinge Swings:**
90° in and 90° out.

■ **Closing Type:**
Self-Centering when within 25° of closed position

■ **Cut-out Required**

■ **Standard Scope of Supply Includes:**
Gaskets, Self Drilling Screws & Plastic Anchor Bolts for Wall Mount Hinges and Glass Cut Out Drawing.

■ **Standard Finishes:**
CP (Bright Chrome), BN (Brushed Nickel), SCP (Satin Chrome), BSCP (Brushed Satin Chrome), AB (Antique Brass), PB (Polished Brass), ORB (Oil Rubbed Bronze), GM (Gun Metal), Ti (Titanium plated), PVD.

■ **Maximum Capacities**


Quantity of Hinges	Door Weight	Door Width
Using 2 Hinges	27kg(60lbs)	710mm(28")
Using 3 Hinges	40kg(90lbs)	810mm(32")

*NOTE: Do not exceed maximum door weight or width when choosing proper quantity of hinges



720S-1
Wall Mount Hinge,
Full Back Plate

722S-1
Wall Mount Hinge,
Offset Back Plate
available



730S-1
180° Glass to
Glass Hinge



732S-1
135° Glass to
Glass Hinge



734S-1
90° Glass to
Glass Hinge